







Optional Equipment

• CANOPY/WINDSHIELD Sun Canopy Kit Windshield Kit

· HITCH

Front Hitch Receiver Kit

• HYDRAULICS

Hydraulic Dumping Kit Remote Hydraulic Kit Hand Throttle Kit

• PROTECTION

Skid Plate Kit Rear Screen Kit Suspension Dust Guard Kit

· ACCESSORIES

License Plate Kit

Safety Lamp Kit(Horn, brake lights, Turn signal lamps, Hazard switch) Fog Lamp Kit Working Lamp Kit Headrest Kit Rear View Mirror Kit Bed Extension Kit

Specifications

MODEL		Mechron2200	
ENGINE	and the second second		
Model		3C100LWU	
Туре		3Cyl., In-line Vertical, Water-Cooled 4-Cycle Diesel Engine	
Engine Gross	HP(kW)	22(16.4)	
Displacement	cc	1,007	
Rated revolution	rpm	2,800	
Fuel tank capacity DRIVE TRAIN	e	28	
Туре		Belt CVT	
Gear Range	while the same of	Low, High, Netural, Reverse	
Ground Speed	km/h	0-40	
Brake		Front/Rear Hydraulic Caliper Disc	
4 Wheel Drive		Mechanically Actuated	
SUSPENSION			
Front Suspension	A PRINCIPAL CONTRACTOR	Independent, MacPherson Strut type	
Rear Suspension		Independent, Double A-Arm(Wishbone type	
STEERING			
Туре		Rack & Pinion	
DIMENSIONS			
Length	mm	2,852	
Width	mm	1,543	
Height	mm	1,940	
Max Wheel Tread	Front mm	1,262	
	Rear mm	1,228	
Wheelbase	mm	1,940	
Weight	kg	765	
Ground clearance	mm	304	
Towing Capacity	kg	590	
Payload Capacity	kg	726	
Turning Radius	m	3.96	
CARGO BED			
Length x Width x Depth mm		978 x 1,427 x 293	
Bed Capacity	kg	500	
TIRE SIZE			
Front	Heavy Duty worksite	25x10-12	
	Turf	25x10-12	
	ATV	25x10-12	
Rear	Heavy Duty worksite	25x11-12	
	Turf	25x11-12	
2000	ATV	25x11-12	
Seat Capacity		3 Seat Bench	
Dump Box Actuation		Manual	
Front Guard		Std.	
Body Color		Orange	
Hydraulic Bed Lift		Opt.	
Hydraulic Utility Valve		Opt.	
Speedometer		Std	
Makaa Cama and	19 1 211 10 0 6 10	T1 10 11 11 11 11 11 11 11 11 11 11 11 11	

* Notes: Some option kits are not available at the time of printing. The specifications are subject to change without notice.



Kioti Tractor/ Daedong Industrial. Co., Ltd.

1422-5, Seocho-Dong, Seocho-Ku, Seoul, Korea tel 82-2-3470-7454~9 • fax 82-2-3470-7485





run ahead of the pack



















An in-line shift makes range selection simple and easy. 4WD selection is also simple with a single pull knob.

Storage Compartments

An open dash storage area on the driver side is complimented by a closed dash storage area with a water proof lid on the passenger side.

Cup Holders

A cup holder on each side is standard with a removable tray for passenger and driver convenience.



Power, Strength,
Agility, and Comfort



Stretch-out on the Wide bench seat

Dash Board

A cockpit designed dash features ergonomically located controls and instruments that allow the driver to view critical functions at a glance.

Bench Seat

with room for two passengers and the driver

With a contoured Bench Seat that is the widest in its class, the MECHRON offers room for three comfortably. Three seat belts with retractors are standard for safety.

Standard Instrument Cluster

Speedometer in km/hr(mph), hour meter, fuel gauge, coolant temperature gauge, and turn signal indicators are standard.

